

Secciones de Acero en cm^2

Φ [mm]	Números de barras									
	1	2	3	4	5	6	7	8	9	10
6	0.28	0.57	0.85	1.13	1.41	1.70	1.98	2.26	2.54	2.83
8	0.50	1.01	1.51	2.01	2.51	3.02	3.52	4.02	4.52	5.03
10	0.79	1.57	2.36	3.14	3.93	4.71	5.50	6.28	7.07	7.85
12	1.13	2.26	3.39	4.52	5.65	6.79	7.92	9.05	10.18	11.31
16	2.01	4.02	6.03	8.04	10.05	12.06	14.07	16.08	18.10	20.11
18	2.54	5.09	7.63	10.18	12.72	15.27	17.81	20.36	22.90	25.45
22	3.80	7.60	11.40	15.21	19.01	22.81	26.61	30.41	34.21	38.01
25	4.91	9.82	14.73	19.63	24.54	29.45	34.36	39.27	44.18	49.09
28	6.16	12.32	18.47	24.63	30.79	36.95	43.10	49.26	55.42	61.58
32	8.04	16.08	24.13	32.17	40.21	48.25	56.30	64.34	72.38	80.42
36	10.18	20.36	30.54	40.72	50.89	61.07	71.25	81.43	91.61	101.79

Secciones de Acero en cm^2 por metro

Φ [mm]	Espaciamiento [mm]						
	100	125	150	175	200	250	300
6	2.83	2.26	1.88	1.62	1.41	1.13	0.94
8	5.03	4.02	3.35	2.87	2.51	2.01	1.68
10	7.85	6.28	5.24	4.49	3.93	3.14	2.62
12	11.31	9.05	7.54	6.46	5.65	4.52	3.77
16	20.11	16.08	13.40	11.49	10.05	8.04	6.70
18	25.45	20.36	16.96	14.54	12.72	10.18	8.48
22	38.01	30.41	25.34	21.72	19.01	15.21	12.67
25	49.09	39.27	32.72	28.05	24.54	19.63	16.36
28	61.58	49.26	41.05	35.19	30.79	24.63	20.53
32	80.42	64.34	53.62	45.96	40.21	32.17	26.81
36	101.79	81.43	67.86	58.16	50.89	40.72	33.93