


Performance

Model	Maximum flow rate			Maximum head	
	l/min	cu.m/hr	gall/min	metres	feet
CM100	4500	270	1000	32	105



Dimensions in mm (approx.)

A	B	C	D	E	F	G	H1	H2	J1	J2	K	L	M
510	440	198	160	390	90	Ø32	210	180	Ø18	Ø18	242	130	110

Materials of construction

Pump casing	bronze
Impeller	bronze
Port counterflanges	bronze
Shaft	stainless steel AISI316
Bearing housing	cast iron
Pump head bolts	stainless steel
O-ring static seal	nitrile rubber

Pump performance and specification are subject to alteration without notice

FP-series CM100D-160



4" BRONZE NON-SELF-PRIMING CENTRIFUGAL PUMP

- ♦ corrosion-resistant bronze body & impeller, with stainless steel shaft
- ♦ also available with opposite rotation
- ♦ carbon-ceramic mechanical shaft seal

**BRONZE
PUMPS
for
SEAWATER**

Cleghorn Waring & Co (Pumps) Ltd
Icknield Way Letchworth
Hertfordshire SG6 1EZ

Telephone: +44 (0)1462 480380

Fax: +44 (0)1462 482422 E-mail: mail@cleghorn.co.uk